

1 Identification of substance:

- **Product details:**
- **Trade name:** EPIKOTE™ Resin 05341 RAL 8017
- **Article number:** 16-0635400/2
- **Application of the substance / the preparation** Epoxy resin systems
- **Manufacturer/Supplier:**
Hexion Specialty Chemicals B.V.
Postbus 606
3190 AN Hoogvliet Rt.
Netherlands
Tel.: +31 65 25 11 07 9
- **Information:**
see: Section 16 (Contact)
E-Mail: ulrich.busch@hexion.com
- **Emergency information:**
Emergency telephone number:
CARECHEM24
+44 (0) 2087 628322

2 Hazards identification

- **Hazard designation:**



Xi Irritant
N Dangerous for the environment

- **Information pertaining to particular dangers for man and environment**
R 36/38 Irritating to eyes and skin.
R 43 May cause sensitisation by skin contact.
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Contains epoxy constituents. See information supplied by the manufacturer.

3 Composition/information on ingredients

- **Chemical characterization:**
- **Identification number(s):**
- **EINECS Number:** Not applicable (preparation)
- **Chemical characterization**
- **Description:** Modified epoxy resin

• **Dangerous components:**

CAS: 9003-36-5 NLP: 500-006-8	Bisphenol F-epichlorohydrin resin, mw ≤ 700 Xi, N; R 36/38-43-51/53	> 50%
CAS: 26444-49-5 EINECS: 247-693-8	Diphenyl cresyl phosphate N; R 51/53	< 20%

- **Additional information**
For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation**
Supply fresh air and call for doctor for safety reasons.
In case of unconsciousness bring patient into stable side position for transport.

(Contd. on page 2)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 08.04.2008

Revision: 30.10.2007

Trade name: EPIKOTE™ Resin 05341 RAL 8017

(Contd. of page 1)

- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact**
Rinse opened eye for several minutes under running water.
Seek immediate medical advice.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Seek medical treatment.

5 Fire fighting measures

- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents**
Water with a full water jet.
- **Special hazards caused by the material, its products of combustion or resulting gases:**
Can be released in case of fire
Carbon monoxide (CO)
Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
Hydrogen chloride (HCl)
- **Protective equipment:**
Wear full protective suit.
Wear self-contained breathing apparatus.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter drains.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Person-related safety precautions:**
Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**
Do not allow to enter drainage system, surface or ground water.
Do not allow to enter the ground/soil.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.

7 Handling and storage

- **Handling**
- **Information for safe handling:**
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
No special measures required.
- **Storage**
- **Requirements to be met by storerooms and containers:**
Prevent any penetration into the ground.
- **Information about storage in one common storage facility:** Not required.

(Contd. on page 3)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 08.04.2008

Revision: 30.10.2007

Trade name: EPIKOTE™ Resin 05341 RAL 8017

(Contd. of page 2)

- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:**
No further data; see item 7.
- **Personal protective equipment**
- **General protective and hygienic measures**
Take off immediately all contaminated clothing
Wash hands during breaks and at the end of the work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:** Plastic gloves (EN 374)
- **Material of gloves**
Butyl rubber, BR
Nitrile rubber, NBR
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses (EN 166).
- **Body protection:** Protective work clothing (EN 340).

9 Physical and chemical properties:

- **General Information**

Form:	Fluid
Colour:	Brown
Odour:	Weak, characteristic
- **Change in condition**

Melting point/Melting range:	-
-------------------------------------	---
- **Flash point:** > 200°C (ISO 2719)
- **Vapour pressure at 20°C:** < 0.1 hPa
- **Density at 20°C** 1.20 - 1.30 g/cm³ (DIN 53217)
- **Solubility in / Miscibility with**

Water:	Not miscible or difficult to mix
---------------	----------------------------------
- **Viscosity:**

dynamic at 25°C:	12000 - 15000 mPa*s (ISO 3219)
-------------------------	--------------------------------

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Dangerous reactions**
May produce violent reactions with bases and numerous organic substances including alcohols and amines
Exothermic polymerisation
- **Dangerous products of decomposition:** Irritant gases/vapours

GB

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 08.04.2008

Revision: 30.10.2007

Trade name: EPIKOTE™ Resin 05341 RAL 8017

(Contd. of page 3)

11 Toxicological information• **Acute toxicity:**• **LD/LC50 values that are relevant for classification:**

9003-36-5 Bisphenol F-epichlorohydrin resin, mw ≤ 700

Oral	LD50	23800 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

• **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritant effect.
- **Sensitization:** Sensitization possible by skin contact.

12 Ecological information:

- **Information about elimination (persistence and degradability):**
- **Other information:** The product is slightly biodegradable.
- **General notes:**
Do not allow product to reach underground or surface water or sewage system.

13 Disposal considerations

- **Product:**
- **Recommendation**
Remove according to local authority recommendations, e.g. convey to a suitable incinerator.
- **European waste catalogue**
The waste code classification is to be carried out according to the European Waste Catalogue (EWC) specifically for each branch of industry and each type of process.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Land transport ADR/RID (cross-border)**
- **ADR/RID Class:** 9 Miscellaneous dangerous substances and articles.
- **Hazard Index Number:** 90
- **Substance Index Number:** 3082
- **Packaging group:** III
- **Label:** 9
- **Designation of goods:** 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXIDE DERIVATIVES, cresyl diphenyl phosphate)
- **Maritime transport IMDG:**
- **IMDG Class:** 9
- **UN Number:** 3082
- **Label** 9 + MP
- **Packaging group:** III
- **EMS Number:** F-A,S-F
- **Marine pollutant:** yes
- **Correct technical name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxide derivatives, cresyl diphenyl phosphate)
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** 9

(Contd. on page 5)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 08.04.2008

Revision: 30.10.2007

Trade name: EPIKOTE™ Resin 05341 RAL 8017

(Contd. of page 4)

- **UN/ID Number:** 3082
- **Label** 9
- **Packaging group:** III
- **Correct technical name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxide derivatives, cresyl diphenyl phosphate)

* **15 Regulatory information**

- **Designation according to EC guidelines:**
The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)
- **Code letter and hazard designation of product:**
Xi Irritant
N Dangerous for the environment
- **Hazard-determining components of labelling:**
Bisphenol F-epichlorohydrin resin, mw ≤ 700
- **Risk phrases:**
36/38 Irritating to eyes and skin.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:**
24 Avoid contact with skin.
28 After contact with skin, wash immediately with plenty of soap and water.
37/39 Wear suitable gloves and eye/face protection.
60 This material and its container must be disposed of as hazardous waste.
61 Avoid release to the environment. Refer to special instructions/safety data sheets.
- **Special designation of certain preparations:**
Contains epoxy constituents. See information supplied by the manufacturer.
- **National regulations**
- **Other regulations, limitations and prohibitive regulations**
Document of PlasticsEurope (ERC): "Epoxy resins and curing agents (Toxicology, Health, Safety and Environmental Aspects)"

16 Other information:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant R-phrases**
These R-phrases refer to section 3: "Dangerous Components"
36/38 Irritating to eyes and skin.
43 May cause sensitisation by skin contact.
51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Department issuing data specification sheet:** Product Safety Department
- **Contact:** Product Safety Department Tel.: **49/203/4296-206
- *** Data compared to the previous version altered.**